Section 1. Product and Company Identification

Product Name: Super-Guard (SG) Product Use: Surface impregnator with advanced micro-bonding stain protection Effective Date: 1 November 2020 Repla

Replaces: 1 January 2017

Manufacturer Information:	World Diamond Source®			
	2987 Center Port Circle			
	Suites 4&5			
	Pompano Beach, FL 33064			
	Telephone: 800-611-8278			
Emergency Phone Number:	INFOTRAC (24-hr/7 days)			
	United States: 1_800_535_5053			

United States: 1-800-535-5053 International: 1-352-323-3500

Section 2. Hazard Identification



GHS Pictograms: V GHS Signal Word: WARNING

This product is alkaline. Avoid contact with eyes and skin. Keep out of reach of children.

The product may be harmful if it is inhaled or swallowed.

POTENTIAL HEALTH EFFECTS

CODE OF HAZARD STATEMENTS:

Physical hazards

None.

Health Hazards

H303-May be harmful if swallowed. H312-Harmful in contact with skin.

H319-Causes serious eye irritation.

H333-May be harmful if inhaled.

Environmental hazards

None.

CODE OF PRECAUTIONARY STATEMENTS:

General

P101-Keep out of reach of children.

P103-Read label before use.

Prevention statements

P202-Do not handle until all safety precautions have been read and understood.

P262-Do not get in eyes, on skin or on clothing.

P264-Wash thoroughly after handling using this product.

P280-Wear protective gloves/protective clothing/eye protection/face protection.

P284-Wear respiratory protection.

Response statements

P312-Call a POISON CENTER or doctor/physician if you feel unwell.

P331-DO NOT induce vomiting.

P340-Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352-Wash with plenty of soap and water.

P362-Take off contaminated clothing and wash before reuse.

Storage

P403-Store in well-ventilated place.

P404-Store in a closed container.

P412-Do not expose to temperatures exceeding 60 °C (140 °F)

ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation.

CARCINOGENICITY: None know at this time.

Component	CAS #	EINECS No	% by weight	REACH Reg #	
Lithium polysilicate	12627-14-4	235-730-0	> 22	Yes	
Proprietary	Prop.	Prop.	> 5	No	
Proprietary	Prop.	Prop.	> 3	Yes	
Proprietary	Prop.	Prop.	>1	No	
Proprietary	Prop.	Prop.	< 1	No	
Proprietary	Prop.	Prop.	< 1	No	
Proprietary	Prop.	Prop.	< 1	Yes	

Section 3. Ingredients and Hazards Identification

Section 4. First Aid Measures

Eye Contact: Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists. **Skin Contact:** Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse.

Inhalation: Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

Ingestion: If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

Flash Point: Not flammable

Flammability Limits: NE

Fire Fighting Media: Dry chemical, carbon dioxide, and water spray. **Special Fire Fighting Procedures:** First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.

Section 6. Accidental Release Measures

Clean-up Procedures: Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use plastic shovel to pick up absorbent for disposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

Section 7. Handling and Storage

Handling: Do not get into eyes. Do not taste or swallow. Wash thoroughly after handling. **Storage:** Store in original labeled container. Keep in cool and dry areas. Do not exceed 60 °C (140 °F).

Section 8. Exposure Control/Personal Protection

Introductory Remarks: Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits. **Personal Protection:**

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant gloves.

Hands: Chemical resistant gloves.

Respiratory: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

. .

Section 9. Physical and Chemical Properties				
Odor/Color	Slight to none/	Vapor Pressure	< 2.2 torr @ 68 °F (20 °C)	
	Opaque, dries clear	•		
рН	11-12	Density	> 1.0 @ 68°F (20 °C)	
% volatile by weight	< 50g/L	Solubility	100 % in water	
Evaporation rate	> 1.0	Boiling Point	212 °F (100 °C)	

Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

...

Hazardous Decomposition: If complete combustion, oxides of carbon and silicates are formed. Hazardous Polymerization: Will not occur.

Incompatibility/Materials to Avoid: May react with strong oxidizing agents and strong acids.

Section 11. Toxicological Information

Acute Eye Irritation: Irritating.

Acute Skin Irritation: Chronic exposure may be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: None

Existing Medical Conditions Aggravated by Exposure: Exposure to eyes and skin may cause irritation to pre-existing conditions.

Section 12. Ecological Information

Ecotoxicity: The toxicity of this product has not been determined. **Environmental Fate:** This product should be expected to be readily biodegradable.

Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal regulations.

Container Handling and Disposal: All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section 14. Transport Information

Ground Classification: Not regulated by US DOT Shipping Name: Super-Guard (SG) Technical Shipping Name: None UNFIC: None ID Number: None Packaging Group: None Labels: No US DOT Labels Not regulated by IATA or IMO

Section 15. Regulatory Information

EPCRA 311/312 Categories: Immediate (Acute) Health Effects:	Yes
Delayed (Chronic) Health Effects:	Yes
Fire Hazard:	No
Sudden Release of Pressure	No
Reactivity:	No

European Community:

irritating (Xi) substances

Right to know classification: Lithium polysilicate is listed in NJ. TSCA: All ingredients listed or exempt from listing.

Reportable Quantity (RQ): None Prop. 65: None listed WHMIS: Xi (Irritant to the eyes and skin) All ingredients are listed as chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK ABBREVIATIONS: CAS# Chemical Abstract Service Number EINECS European Inventory of existing **Commercial Chemical Sales** °C Celsius temperature scale °F Fahrenheit temperature scale Proprietary PE Prop. Personal Protective Equipment TLV Threshold Limit Value TWA Time Weighted Average STEL Short-term Exposure Limit PEL Permissible Exposure Limit OSHA Occupational Safety & Health NIOSH National Institute of Safety & Health National Fire Protection Agency WHMIS Workplace Hazardous Materials Information NFPA System NTP National Toxicology Program IARC Int. Agency for Research on Cancer Resource Conservation Recovery Act Toxic Substance Control Act RCRA TSCA Effective Dose EC50 LC50 Lethal Inhalation Concentration LD50 Lethal Dose CAS Chemical Abstract Service Number LEL Lower explosive limit UEP Upper explosive limit Not determined NDA No Data Available ND NE None established NA Not Applicable > Greater Than or Equal To < Less Than or Equal To CNS Central Nervous System CI China DSL Canada ECL Korean Existing Chemicals List EEC **European Economic Commission** ENCS Japanese Existing and New Chemical List EU European Union MAC Netherlands MAK Germany MITI Japan PICCS Philippines SWISS Giftliste 1 UK United Kingdom USA United States Volatile organic content ACGIH American Conference of Government VOC Industrial Hygienists SARA Superfund Amendments and Reauthorization Act AICS Australian Inventory of Chemical Substances IARC International Agency for Research on Cancer Taiwan List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086

Section 16. Other Information

Hazardous Material Information (HMIS)

National Fire Protection Association (NFPA)

Health	1	1	Health
Fire	1	1	Fire
Reactivity	0	0	Instability
Personal Protection	С		NA

Health	4 I	Deadly 3	Extre	eme Danger 2	D	angerous	1 Slight hazard 0 No hazard
Fire	4 <	∶73 °C 3	< 100	$0 {}^{\circ}\mathrm{C} 2 < 200 {}^{\circ}\mathrm{C}$	°C 1	>200 °C	0 Will not burn
Reactivity/Instability	4 –	May detor	nate 3	Explosive 2	U	nstable 1	Normally stable 0 Stable

Risk phrases: R36, Irritating to eyes; R37, Irritating to respiratory system; and R38, Irritating to skin. **Safety phrases:** S2, Keep out of reach of children; S24, Avoid contact with skin; S25, Avoid contact with eyes; S37, Wear suitable gloves; and S39, Wear eye/face protection.

Created: 1 November 2020 Reviewed: 1 November 2020

Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of World Diamond Source's knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.